

1.4

INDEX MAPS.

T. 9N R. 2W 2nd Mer.

	328	328	328	327	327	327						
331	6	343	5	342	4	351	3	353	2	352	1	326
	343		342		341		351		352		349	
330	7	342	8	339	9	337	10	351	11	349	12	326
	341		341		338		350		350		347	
330	18	340	17	338	16	337	15	349	14	347	13	325
	340		339		337		348		348		346	
329	19	339	20	338	21	337	22	348	23	346	24	325
	336		335		334		346		345		345	
329	30	335	29	334	28	332	27	345	26	344	25	325
	336		334		333		332		331		344	
329	31	335	32	333	33	332	34	331	35	344	36	324
	324		324		323		323		323		323	

T. 10N R. 2W 2nd Mer.

	362	362	362	360	360 - 361	359 - 361	359 - 361				
364	6	377	377	4	386	3	387	2	389	1	359
	375	375	375	376	384	377 - 377	388	388	389		
364	7	376	8	374	9	354	10	384	11	388	12 358
	376	376	373	373 - 374		383		385	385	385 - 387	
362	18	373	17	374	16	382	15	383	14	386	13 358
	372	372	372	382		382		381	381	380	
363	19	371	20	371	21	381	22	380	23	379	24 357
	371	371	369	369		366		379 - 388	388	366	
363	30	370	29	369	28	366	27	379	26	365	25 357
	371	370	370	368		367		378	378	365 - 367	
362	31	370	32	368	33	367	34	378	35	365	36 357
	356	356	356	356		355		355	355	355	

Meandering 391

(3) The figures on the lines refer to the page.

Townships No. 10 North of Range No. 2 West 2nd Mer (See
Ch. 105.)

South Boundary April 9th 1811

- East On a Random line between Towns No. 10 & 11 North of
Range No. 2 West 2nd Mer. 5 miles & 73 ch. full
100 links North of Inn cor.
- West Corrected the line between Towns No. 9 & 10 N.R. 2nd Mer.
- West On the Rth mile of T. No. 10. N.R. N. 2nd Mer.
7.50 To a Brook 15 links wide, course N.E.
- 40.00 Set a post for the cor. of 1/4 sec. from which an
Oak 20 in dia bears S 47° E 2 links dist to
Buck 14 " N 10° E 4 "
- 80.00 Set a post for the cor. of sec. 35 & 36 T. No. 10 N.
Range No. 2 2nd 2nd Mer. from which a
Black Oak 30 in dia bears N 55° W 14 in dia of a
Hickory 5 " " S 85° E. 8 " "
Land good, Timber, Buck, Ash, Walnut &c.

West On the South Boundary of sec. 35 T. No. 10 N.R.
N. 2nd 2nd Mer. Ind.

- 40.00 Set a post for the cor. of 1/4 sec. from which a
Sycamore 16 in dia bears N 60° E. 3 links dist to
Sugar 6 " " S 20° W. 36 " "
- 80.00 Set a post for the cor. of sec. 34 & 35 T. No. 10 N.R.
N. 2nd 2nd Mer. Ind. from which a
Sugar 12 in dia bears S 70° E. 3 links dist to
Buck 16 " " N 48° W 24 " "
Land bad and good; Timber, Beech, Sugar, &c.

West On the South Boundary of sec. N. 34 T. No. 10 N.
Range N. 2nd 2nd Mer.

- 40.00 Set a post for the cor. to the 1/4 sec. from which a
Buck 11 in dia bears N 53° E. 16 links dist to
Loc 12 " " S 21° E. 18 " "
- 50.00 To a Creek 75 links wide, course N. W.
- 80.00 Set a post for the cor. to Sec. 33 & 34 T. No. 10 N.
Range N. 2nd 2nd Mer. from which a
Sugar 4 in dia bears N 59° W. 10 links dist to

T. N^o. 10 N., R. N^o. 2 W. 2nd Mer. Ind.

Suggr 5 mi. dia bears \$417. 14 links dist
Sand level and rich; Timber, Suggr Walnut &c

- West On the South Boundary of Sec. N^o. 33 T. N^o. 10
R. N^o. 2 W. 2nd Mer. Ind.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Hickory 18 in dia. bears \$186. 14 links dist; to
Buck 6 " " N 27 E. 21 "
80.00 Set a post for the cor. to Sec. 32 & 33 T. N^o. 10 N.
R. N^o. 2 W. 2nd Mer. from which a
Buck 12 in dia bears N 46 W. 9 links dist; to
Do 12 " " S 14 W 18 " "
Sand level; Timber Oak, Buck &c

- West 5th Mile on the South Boundary of Sec. 32 T. N^o. 10
R. N^o. 2 W. 2nd Mer. Indiana
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Beech 13 in dia. bears N 45 E. 29 links dist; to
Do 12 " " S 9 E. 9 " "
80.00 Set a post for the cor. to Sec. N^o. 31 & 32 T. N^o. 10.
R. N^o. 2 W. 2nd Mer. Ind. from which a
Buck 12 in dia bears S 36 E. 17 links dist; to
Do 6 " " N 8 W 26 " "
Sand flat & wet; Timber Buck &c

- West 6th Mile, On the South Bound. of Sec. 31 T.
N^o. 10 R. N^o. 2 W. 2nd Mer.
15.00 To a Brook 8 links wide, Course N.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 11 in dia bears N 64 E. 27 links dist; to
Do 18 " " S 16 E. 35 "
73.00 Intersected the N & S Range line 50 links south of
the temporary post set for the cor. of T. 9 R. 10 N. of
R. 2 & 3 W. 2nd Mer. from which a
Buck 10 in dia. bears S 80 W. 12 links dist; to
Do 8 " " N 70 E. 34 " "

T. N^o. 10. R.R. N^o. 277 2nd Mer. Indiana
Sand flat. Timbo Buck &c.

East Boundary

- North 1st Mile on the East Boundary of Sec. 36 T. N^o. 10 R.
R. N^o. 277 2nd Mer. From the cor. of T. 9 & 10 R.R.
1 & 2 77 2nd Mer.
- 15.50 To a Brook 20 miles wide, course N.E.
- 32.00 To a Hickory 16 in dia stands in the line
- 39.00 To a Brook 10 miles wide, course East.
- 40.00 Set a post for the cor. of 1/4 sec. from which an
Ash 13 in. dia bears S60 W. 22 miles dist; & a
Buck 15" " N77 W. 23" "
- 73.50 To a Brook 13 miles wide, course E.
- 80.00 Set a post for the cor. of Sec. 25, 136 T. N^o. 10 R.R.
2nd Mer. of the 2nd Mer. Indiana from which an
Ash 9 in. dia bears S30 W. 18 miles dist & a
Dogwood 4" " S64 E. 16" "
Land fully and rich, Timbo Buck, Ash & Walnut

- North 2nd Mile On the East Boundary of Sec. 25 T. N^o. 10
R.R. N^o. 277 2nd Mer. Indiana
- 16.00 To an ash 18 in. dia bears in the line.
- 40.00 Set a post for the cor to 1/4 sec. from which a
Buck 10 in. dia bears S47 W. 12 miles dist, & a
Loc. 40 " " N31 E. 40" "
- 53.00 To a Creek 150 yards wide, course
- 80.00 Set a post for the cor to Sec. 24 & 25 T. N^o. 10 R.R.
N^o. 277 2nd Mer. from which an
Ash 15 in dia bears S45 E. 12 miles dist, & a
Maple 8" " N75 W. 15" "
Land 1st 1/2 mile same as on the last mile; 2nd 1/2
mile bottom land; Timbo Maple &c

- North 3rd Mile On the East Boundary of Sec. 24 T. N^o
10 R.R. N^o. 277 2nd Mer. Oct. 4. 1815
- 40.00 Set a post for the cor of 1/4 sec. from which a

J. No. 10 N.R. No. 2 W. 2nd Mw. Ind.

- Maple 19 in dia bears S45°W. 12 links dist; & a
B. Oak 5 " " " N38°E. 7 " "
80.00 Set a post for the cor of sec. 13. & 24 T. N. 10 N.R.
No. 2 W. 2nd Mw. From which a
Black Beech 4 in. dia. bears 54°W. 8 links dist &
Beech. 18 " " " N13°E. 29 " "
Land & p. wet bottom lands; 2nd half hilly goods
Oril, Timbu Beech, Oak &c

North 4th Mile, On the East Boundary of sec. 13. T. N. 10 N.R.
R. P. 2 W. 2nd Mw.

- 20.50 To a Creek 45 links wide, Comeo S.W.
37.00 Intersected the North Boundary line of Garrison's
Punchard and set a post for the cor of sec. 13. T. N.
10 N.R. No. 2 W. and cor of sec. N. 18 T. N. 10 N.R.
No. 1 W. 2nd Mw. From which a
Beech 13 in dia bears N39°E. 10 links dist; & a
Hd. 16 " " " S74°W. 29 " "
Surveyed by James. Holmes. L.L.S.
and William Harris.

Continued the line North on the East side of sec. 13.
T. N. 10 N.R. No. 2 W. 2nd Mw. Ind.

- 40.00 Set a post for the cor to 1/4 sec. From which a
W. Oak 14 in. dia. bears S39°W. 2 link dist; & a
Beech 8 " " " N28°E. 30 " "
80.00 Set a post for the cor to sec. 13 & 13 T. N. 10 N.R. N. 10
2 W. 2nd Mw. From which a
Sycamore 18 in dia bears S10°E. 22 links dist & a
Sugar 10 " " " N84°W. 30 " "
Land & hilly and middling goods for farming; Timbu
Beech, Sugar, ash, & Hickory

North 5th Mile On the East Boundary of sec. 12 T. N. 10 N.R.
R. P. 2 W. 2nd Mw.

- 40.00 Set post for the cor. to 1/4 sec. From which a
Beech 18 in dia bears N48°E. 17 links dist; and a

359

T. N^o. 10 R. R. N^o 2 N. 2nd Mer. (Indiana)

Buck 24 in. dia bears S 28^W. 23 links dist.
 Set a post for the cor to sec. 1 1/2 T. N^o. 10 R. R. N^o.
 2 N. 2nd Mer. from which a
 Buck 12 in dia bears S 48^W. 27 links dist; to a
 Do. 5 " " N 4^W. 20 " "
 Land and timber same as on the last mile.

North 6th Mile On the East Boundary of sec. N^o 1 T. N^o. 10 R.
 R. N^o. 2 N. 2nd Mer. Ind.
 22.00 Small Brook
 40.00 Set a post for the cor to 1/4 sec. from which a
 Buck 9 in. dia bears S 72^E. 26 links dist; to a
 Do. 9 " " N 79^W. 50 " "
 72.00 To a Brook 20 links wide, course N. W.
 77.50 Intercepted the Random line
 80.00 Set temporary post for the cor of T. N. 11 R. R. 15
 2 N. 2nd Mer. Ind.
 84.87 To the township cor. Land hilly, and middling
 for farming. Timber same as on the last mile

North Boundary

West 1st Mile, on a Random line, South Boundary of sec. 36
 T. N^o. 11 R. R. N^o. 2 N. 2nd Mer.
 3.00 To a brook 30 links wide course N. W.
 22.50 To a Brook 60 " " " N.
 40.00 Set a temporary post for the cor to 1/4 sec.
 80.00 " " " " " " " sec. 35 & 36. T.
 N^o. 11 R. R. N^o. 2 N. 2nd Mer. Land and timber same

West 2nd Mile On a Random line, South Boundary of sec. 35
 T. N^o. 11 R. R. N^o. 2 N. 2nd Mer.
 40.00 Set a temporary post for the cor to 1/4 sec.
 80.00 Set a " " " " " " " sec. 34 & 35

T. N^o. 10 N. R. N^o. 2 W. 2nd Mer. Ind.

T. N^o. 11 N. R. N^o. 2 W. 2nd Mer. Lands rolling rich
for farming; Timber, Buck, sugar, Poplar, ash
and Walnut.

West	1st Mile On a Random line, South Boundary of sec. 34 T. N ^o . 11 N. R. N ^o . 2 W. 2nd Mer.
15.00	To a Brook 6 links wide, bears N.W.
40.00	Set a temporary post for the cor. to 1/4 sec.
70.00	To a Brook 8 links wide, bears N.W.
79.00	To a Brook 4 " " N.W.
80.00	Set a temporary post for the cor. of Sec. 33 & 34 T. N ^o . 11 N. R. N ^o . 2 W. 2nd Mer. Lands East of same as on the last mile; West part rather broken, Timber same, rich soil.

West	4 th Mile On a Random line, South Boundary of sec. 33. T. N ^o . 11 N. R. N ^o . 2 W. 2nd Mer.
40.00	Set a temporary post for the cor. to 1/4 sec.
47.61	Subsisted the N Boundary of Harrison's purchase 11.85 south of the old corner on the Boundary line. cor of Sec. 4 & 33 T. 10 R. 11 N. R. 2 W. Land similar to the last mile. East part rather broken.

East	On the true line, South Boundary of sec. 33. T. N ^o . 11 N. R. N ^o . 2 W. 2nd Mer. Var. 5° 07'
2.00	To a Spring branch, bears N.E.
7.61	Set a post for the cor. to 1/4 sec. From which a Buck 18 in. dia. bears N 87° 38' 1/2 links due S. Do 18 " " S 24° W. 26 " "
17.00	To a Brook 10 links wide, bears N.
47.61	Set a post for the cor. to Sec. 33 & 34 T. N ^o . 11 N. R. N ^o . 2 W. 2nd Mer. Indiana from which a Buck 6 in. dia. bears N 65° W. 19 links due S. and a Do 10 " " N 48° E. 29 " "

T. N. 10. R. N. 2 Twp 2nd Mer. (Ind.)

East	On a true line on the South Boundary of sec. 34 T. 11 R. N. R. N. 2 Twp. 2nd Mer. Ind.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beech 27 in dia. bears S 36° E. 33 links dist; and a Sugar 10 " " N 31° E. 27 "
80.00	Set a post for the cor. to sec. 34 & 35 T. N. 11. R. N. 2 Twp. 2nd Mer. from which a W. Oak 30 in. dia. bears N 74° W. 16 links dist; and a Poplar 36 " " S 85° E. 29 "
East	On a true line, on the South Boundary of sec. 35 T. N. 11. R. N. R. N. 2 Twp. 2nd Mer.
8.00	To a Brook 10 links wide, course N. N. E.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 12 in. dia. bears S 32° E. 21 links dist and a No. 8 " " N 70° N. 18 "
80.00	Set a post for the cor. of sec. 35 & 36 T. N. 11. R. N. R. N. 2 Twp. 2nd Mer. Indiana from which a Beech. 13 in. dia. bears N 39° N. 28 links dist; and a No. 10 " " S 82° E. 31 "
East	On the true line, on the South Boundary of sec. 36. T. 11 R. N. R. N. 2 Twp. 2nd Mer.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a 18 in dia bears N 85° N. 19 links dist, and a Wickey 9 " " S 69° E. 27 "
80.00	Intersected the Range line 4.89 links North of the 1st Chile post, set post for the cor. of sec. 1. C. 31. 36. B 10 & 11 R. N. R. N. 2 Twp. 2nd Mer. from which a Beech 12 in. dia bears S 46° E. 25 links dist, and a No. 12 " " S 59° N. 55 "

Surveyed by Wm. Harris L.S.

P. N^o. 10. N. R. N^o. 2 P^o. 2nd Mer. Ind.

East	On the South Boundary of Sec. N ^o . 31 T. N ^o . 11 N. R. 2 W From the cor. T ^o . 10 R ^o . 11 N. R. 2 + 3 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. From which a Walnut 20 in. dia. bears S62E. 21 links dist; and a Huckleberry 14 " " " N41W. 47 " "
80.00	Set a post for the cor. to sec. N ^o . 31 & 32 T. N ^o . 11 N. R. N ^o . 2 W From which a Sugar 19 in. dia. bears S62E. 19 links dist; to a Walnut 16 in. dia. bears N69W. 27 links dist. Lands 1st half mile River bottom; 2nd $\frac{1}{4}$ mile good land

East	On the South Boundary of Sec. 32 T. N ^o . 11 North Range N ^o . 2 W 2nd Mer.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. From which a Huckleberry 14 in. dia. bears S61W. 17 links dist; to a W. Oak 6 " " " S49E. 41 " " Surveyed by James Holmes U.S.
49.54	To the left Bank of White River, a Lycamor 18 in. dia stands for the cor.
80.00	Set a post for the cor. to Sec. 32 & 33 T. N ^o . 11 N. R. N ^o . 2 W 2nd Mer. Ind.

East	On the South Boundary of Sec. 33. T. N ^o . 11 N. R. N ^o . 2 W intersected the Boundary line Harrison's purchased and set a post from which a
29.27	Beech 10 in. dia. bears S61W. 19 links dist; and a H. 14 " " " N43W. 32 " " Good farming lands.

Surveyed by William Harris U.S.

North	West Boundary April 10. 1811 1st Mile, On the East Boundary of Sec. 36 T. N ^o . 10 N. R. N ^o . 3 W. 2nd Mer. From the cor. of T. 10 N. R. 2 + 3 W.
-------	--

T. N° 10 R.R. N° 2 T. 2nd Mer. (Ind.)

16.00	To a Brook 12 links wide, course N. W.
25.00	" on R. Oak 30 in. dia. Stands in the line.
40.00	Set a post for the cor. to 1/4 sec. from which an Elm 15 in dia bears S 75° E. 5 links dist. and a Beech 14. " " S 78° W. 39 " "
64.00	To a W. Oak 18 in. dia. Stands in the line
76.00	" Brook 10 links wide, course N.W.
80.00	Set a post for the cor. to sec. 25 & 36 T. N° 10 R. R. N° 3 T. 2 nd Mer. Sycamore from which a Beech 10 in dia. bears S 64° E. 21 links dist. and a Pop. 12 " " S 78° W. 50 " "
	Sands 1/4 p. mile flat; Timber Beech to 2 nd 1/4 mile west, Timber Elm, Maple, etc.

North	2 nd Mile, On the East Boundary of Sec. 25, T. N° 10 R. R. N° 3 T. 2 nd Mer.
40.00	Set a post for the cor. to the 1/4 sec. from which an Elm 6 in dia bears N 37° W. 2 links dist. and a Beech 5. " " S 35° E. 30 " "
65.50	To a B. Oak 30 in. dia. Stands in the line
80.00	Set a post for the cor. to sec. 24 & 25 T. N° 10 R. R. N° 3 T. 2 nd Mer. from which a Sugar 13 in. dia bears N 74° E. 15 links dist. & a Beech 17 in dia bears N 50° W. 19 links dist.

North	3 rd Mile On the East Boundary of Sec. 24 T. N° 10 R. R. N° 3 T. 2 nd Mer.
32.50	To an Elm 24 in dia. Stands in the line
40.00	Set a post for the cor. to 1/4 sec. from which a Hickory 13 in dia bears S 57° W. 11 links dist. and a Beech 12. " " S 76° E. 12 " "
46.00	To a Brook 12 links wide, course N.E.
65.50	" " " " " " N.E.
80.00	Set a post for the cor. of sec. 13 & 24 T. N° 10 R. R. N° 3 T. 2 nd Mer. from which a Sugar 17 in dia bears S 10° W. 30 links dist. to

S. N. 10. N. R. N. 2 W. 2nd Mer. (Ind.)

Sugar 14 in. dia. bears N 25° E. 37 links dist;
Sandgood, locust and oak, Elm, Beech, Oak, Hickory,
Poplar and Sugar.

North	4th Mile. On the East Boundary of Sec. 13 T. N. 10. R. N. 2 W. 2 nd Mer. Indiana
13.00	To a Poplar 14 in dia. stands in the line
37.50	" " Brook 8 miles wide, course N.E.
40.00	Set a post for the cor. to 1/4 sec. from which a Buck 8 in. dia bears S 12° E. 13 links dist; and a No. 10 " " S 32° W. 21 " "
54.50	To a Spring run 8 links wide, course N.E.
80.00	Set a post for the cor. of sec. 12 & 13. T. N. 10. R. R. N. 2 W. 2 nd Mer. from which a Buck 9 in. dia bears N 37° E. 21 links dist; to No. 12 " " S 63° W. 28 " " Sand and timber same as the last mile.

North	5th Mile. On the East Boundary of Sec. 13 T. N. 10. R. N. 2 W. 2 nd Mer.
21.00	To a Poplar 14 in. dia. stands in the line
40.00	Set a post for the cor. to 1/4 sec. from which a Buck 16 in. dia. bears S 87° W. 29 links dist; to Dogwood 4, " " N 55° E. 29 " "
55.00	To a Brook 20 feet wide, course N.W.
80.00	Set a post for the cor. to Sec. 14 & 13 T. N. 10. R. 3 W. from which a Poplar 22 in. dia bears S 21° E. 21 link dist; to Buck 7, " " N 75° W. 17 " " Sand good; timber Beech &

North	6th Mile. On the East Boundary of Sec. 13 T. N. 10. R. N. 2 W. 2 nd Mer. Ind.
10.00	To a Buck 14 in. dia. stands in the line.

T. N^o. 10. N. R. N^o. 2 W. 2nd Mer. Ind.

40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Sycamore 50 in. dia. bears N 47 W. 36 links dist. to a Hackberry 14" " " S 47 E. 20 " "
51.00	To Whit River, 500 links wide, Course S. W.
80.00	Set a post for the cor. of Sec. 1. 6. 31. 36. T. 10. R. 2 W. N. R. 2 & 3 W. 2nd Mer. Indiana, from which a Hackberry 12 in. dia. bears N 73 W. 9 links dist. to a No 18" " " S 23 E. 8 " "
	Land and timber same as on the last mile
	Surveyed by James Holmes. U.S.

143.B

Subdivisions

Oct. 2.

North	Between Sec. 35 & 36. T. N ^o . 10. N. R. N ^o . 2 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Sugar 9 in. dia. bears N 19 W — links dist. to a Beech 9" " " S 43 W. 30 " "
80.00	Set a post for the cor. of Sec. 25, 26, 35, & 36. From which a Beech 10 in. dia. bears S 48 W 29 links dist. and a Blow Ash 10" " " N 18 E. 23 " "
	Land high or hilly, good for farming; timber, Beech, Sugar, Poplar, and Ash,

East	On a random line between Sec. 25 & 36. T. 10. N. R. 2 W
20.00	To a Brook 8 links wide, Course N.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
80.00	Intersected the N. S. Range line between Range 1 & 2 W 50 link North of the cor. to Sec. 25 & 36. T. 10. N. R. 2 W Land and timber same as on the last mile.

North	Between Sec. 25, 26. T. N ^o . 10. N. R. N ^o . 2 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Sugar 12 in. dia. bears S. 55 E. 7 links dist. and a

366

J. N. 10. N.R. N. 2 W. 2nd Mer. Ind.

	Beech 12 in. dia. bears S 67 W. 11 links dist. Set a post for the cor. of Sec. 23, 24, 25 & 26. J. N. 10. N.R. N. 2 W. 2 nd Mer. Ind. from which a #3 Walnut 48 in dia bears S 78 E. 70 links dist, & a No. Locust 18 " " N 74 E. 59 " " Gounds Kettle Timber Oak Beech &c.
East	On a random line between Sec. 24 & 25. J. N. 10. N.R. N. 2 W. To a locak 100 links wide, because it Set a temporary post for the cor. to $\frac{1}{4}$ sec. Indicated the N.E.S Range line between Range 150 W. 42 links North of the cor. to Sec. 24 & 25. Gounds low wet bottom; Timber Maple, Beech, Gums &c.
West	On a true line between Sec. 24, 25. J. N. 10. N.R. N. 2 W. Set the temporary post at the aver. dist on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 11 in. dia. bears N 50 W. 11 links dist & a No. 8 " " S 76 E. 10 " " To the post set for the cor. to Sec. 23, 24, 25, & 26.
West	Between Sec. 23, 24. J. N. 10. N.R. N. 2 W. 45.50' Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 9 in. dia. bears S 59 W. 23 links dist and a No. 20 " " N 2 W. 14 " " Set a post for the cor. of Sec. 21, 22, 27, & 28. from which a Beech 10 in. dia. bears N 80 E. 15 links dist, & a No. 8 " " S 74 W. 40 " " Gounds rolling and middling good for farming; Timber mostly Beech, Larch, Sugar and Poplar.
South	Between Sec. 27 & 28 J. N. 10. N.R. N. 2 W. Set a post for the cor. to $\frac{1}{4}$ sec. from which a
40.00	

J. N. 10 N. R. N. 27. 2nd Mrs. (Ind.)

Sugar Grindia beans \$60 W. 7 links dist, and a w.
R. Oak 24, " " \$65 E. 13, "
72.00 To a Creek 30 links wide, Course N.
80.00 Set a post for the cor. of Sec. 27, 28, 33, 134. From which
a sugar Grindia beans \$62 W. 16 links dist and a
Beech 6 " " \$66 E. 21 " "
Lands soil and timber same as on the last mile

East On a Random line between Sec. 27, 134. J. N. 10 N. R. 27.
10.00 To a Creek 40 links wide, Course N.W.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.13 Intersected the N. 13 line 10 links N. of the cor. to Sec. 26,
27, 34, 135 Lands rolling and goods for farming;
Timber, Beech, Sugar, Ash, Oak 10.

West On a true line between Sec. 27, 134. J. N. 10. N. R. N. 27.
40.07 Set the temporary post at the average dist. on the true
line, for the cor. to the $\frac{1}{4}$ sec. From which a
Sugar Grindia beans \$38 W. 19 links dist, and a
W. Ash 12 " " \$58 E. 28 " "
80.13 To the post set for the cor. to Sec. 27, 28, 33, 134.

West On a true line between Sec. 25, 136. J. N. 10. N. R. N. 27.
40.06 Set the temporary post at the average distance in the
true line for the cor. to the $\frac{1}{4}$ sec. from which a
Beech Grindia beans 14 E. 11 links dist, & a
W. Ash 18, " " \$26 E. 23, "
80.13 To the post set for the cor. to Sec. 25, 26, 35, 136.

South On a Random line between Sec. 33, 134 J. N. 10 N. R. N. 27.
40.05 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.37 Intersected the E. N. R. Line 17 links West of the post set
for the cor. to Sec. 33, 134.

T. N^o. 10 N. R. N^o. 277 2nd Mer. (End.)

Sands rolling and good for farming. Timber same as on the last mile.

North 40.18	On a true line between Sec. 33 134 T. N ^o . 10 N. R. N ^o . 277. Set the temporary post at the average dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a Dogwood 6 in. dia. bears 950 E. 6 links dist; and a Poplar 30 " " " N 74° W. 4 " " To the post set for the cor. to Sec. 27, 28, 33 134.
80.36	

West 32.00	Between Sec. 28 133 T. N ^o . 10 N. R. N ^o . 277 N. 65° E. To a Brook 10 links wide, course N. W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 12 in. dia. bears N 88° E. 26 links dist; to a do. 14 " " " N 80° W. 32 " "
80.00	Set a post for the cor. to Sec. 28, 29, 33 132 from which a Beech 12 in. dia. bears N 59° E. 8 links dist; and a do. 8 " " " S 56° W. 12 " " Sands broken and middling good for farming: Timber same as on the last mile.

South 40.00	On a Random line between Sec. 32 133 T. N ^o . 10 N. R. N ^o . 277 Set a temporary post for the cor. to $\frac{1}{4}$ sec. and a post set for the E. of N. Range line 3 links East of the post set for the cor. to Sec. 32 133 T. N ^o . 10 N. R. N ^o . 277. Sands similar to the last mile, middling good for farming
79.75	

North 39.87	On a true line between Sec. 32 133 T. N ^o . 10 N. R. N ^o . 277 Set the temporary post at the average distance on the true line for the cor. to $\frac{1}{4}$ sec. from which a Beech 7 in. dia. bears N 30° E. 18 links dist; and a do. 6 " " " S 34° W. 10 " "
79.75	To the post set for the cor. to Sec. 28, 29, 32, 133

T. N^o. 10. N. R. N^o. 2 W. 2nd Mer. (End?)

North	Between Sec. 28 & 29. T. N ^o . 10. N. R. N ^o . 2 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 12 in. dia. bears N 62 E. 15 links dist; and a Do. 10 " " N 34 W. 15 "
80.00	To a Brook 10 links wide, Course N. N. E. Set a post for the cor. of Sec. 20, 21, 28, 29 from which a W. Beech 3 in. dia bears S 42 E. 16 links dist; and a Elm 12 " " N 36 E. 27 " Sands rolling and good for farming; timber Beech, Sugar, Poplar &c.
East	On a random line between Sec. 21, 22, 27. T. N ^o . 10. N. R. N ^o . 2 W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.27	Intersected the N. 55 line 93 links North of the post set for the cor. to Sec. 21, 22, 27, 28. Sands soil and timber same as on the last mile.
West	On a true line between Sec. 21, 22, 28. T. N ^o . 10. N. R. N ^o . 2 W.
40.13	Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Sugar 12 in. dia bears N 9 W. 18 links dist; and a Waln 27 " " S 25 W. 27 "
80.27	To the post set for the cor. to Sec. 20, 21, 28, 29.
West	Between Sec. 20, 29. T. N ^o . 10. N. R. N ^o . 2 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 9 in. dia bears N 56 W. 16 links dist; and a Sugar 6 " " S 46 E. 14 "
80.00	Set a post for the cor. of Sec. 19, 20, 29, 30. from which a Beech 12 in. dia bears N 75 E. 13 links dist and an Ash 14 " " S 20 W. 9 "
	Sands and timber same as on the last mile Good farming land

T. N^o. 10. N.R. R^o. 27W. 2nd Mer. Ind.

South 40.00	Between Sec. 29 & 30 T. N ^o . 10. R ^o . 27W. Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 30 in. dia. bears 162 E. 19 links dist; and a 10. 30 " " S ¹ E. 17 "
80.00	Set a post for the cor. of Sec. 29. 30 31. 132. From which a Beech 6 in. dia. bears S ¹ E. 18 links dist; and a W. Ash 14. " " S ³ S ⁷ W. 11 " Soil sand and timber same as on the last mile.
East 40.00	On a Random line between Sec. 29 & 30 T. N ^o . 10. R ^o . 27W. Set a temporary post for the cor. to $\frac{1}{4}$ sec.
79.96	Intersected the N.E. line 36 links North of the post set for the cor. of Sec. 28. 29. 32. 133. Soil sand timber to same as on the last mile.
West 39.98	On a true line between Sec. 29 & 30 T. N ^o . 10. R ^o . 27W. Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 14 in. dia. bears 162 E. 15 links dist; and a W. Ash 30 " " S ⁸ E. 20 "
79.96	To the post set for the cor. to Sec. 29. 30. 31. 132.
South 40.00	On a Random line between Sec. 31. 132. T. N ^o . 10. R ^o . 27W. Set a temporary post for the cor. to $\frac{1}{4}$ sec.
70.00	To a small spring branch, corner S.W.
79.96	Intersected the E. 1 SW. Range line 52 links west of the post set for the cor. of Sec. 31. 132. Soil leevl and not very good; Timber Beech. 10
North 39.98	On the true line between Sec. 31. 132. T. N ^o . 11. R ^o . 27W. Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 8 in. dia. bears S ⁴ S ⁸ E. 18 links dist; and a

T. N. 10 S. R. N. 27 W. 2nd Mer. Quad.

371

Beech 10 in. dia. burs N33 E. 20 links dist.

79.96 To the first set for the cor. to sec. 29. 30. 31. 13 &

West

40.00

71.43

Between Sec. 30. 131. T. N. 10. N. R. N. 27 W.

Set a post for the corner of 1/4 sec. from which a
Beech 14 in. dia. burs N33 E. 23 links dist; and a
No Beech 7. " " Sec. 16 " "

Intersected the N. S. Range line 38 links N. of the first
set for the cor. to sec. 25. 36 T. N. 10. N. R. N. 27 W. from
which a Beech 9 in. dia. burs S65 E. 52 links west to a

Beech 10. " " N16 W. " "

Land-level Timber Beech.

West

40.00

72.00

Between Sec. 19. 530 T. N. 10. N. R. N. 27 W.

Set a post for the cor. of 1/4 sec. from which a
Beech 11 in. dia. burs N29 W. 23 links dist; and a
No 14. " " N82 E. 28 " "

Intersected the N. S. Range line 51 links North of the
first set for the cor. of sec. 24. 125 T. N. 10. N. R. N. 27 W.
and set a post from which a

Sugar. 14 in. dia. burs N40 E. 13 links dist; and a

No 18. " " S4 E. 95 " "

Land rolling and good 2nd rate farming land

Timber Beech, Sugar, Poplar, and Ash,

North

39.82

79.64

On a true line between Sec. 20. 1. 21. T. N. 10. N. R. N. 27 W.

Set the temporary post at the average distance on the
true line from ~~from~~ ~~marked~~ for the cor. to 1/4 sec. from which
a Sugar 6 in. dia. burs N85 E. 24 links dist; and a

No 15. " " S29 W. 24 " "

To the first set for the cor. to sec. 16. 17. 20. 21.

North

Between Sec. 09. 720 T. N. 10. N. R. N. 27 W.

S. N° 10. N.R. N° 2 Y.Y. 2nd Mus. Ind.^a

- 24.00 To a Spring branch, Comme N.W.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Beech 14 in. dia bears S60°W. 26 links dist; and a
 Do 15 " " A89°E. 43 " "
 80.00 Set a post for the cor. to Sec. 17. 18. 19. & 20. from which
 a Beech 10 in. dia bears S45°E. 12 links dist; and a
 Do 10 " " N72°W. 31.
 Sand soil and timber same as on the last milo.

- East On a Random line between Sec 17. & 20. T. N° 10 N.R. N° 2 Y.Y.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 70.00 To a Creek 50 links wide, Comme N
 81.09 Intersected the N.E.S line 95 links N. of the post set
 for the cor. to Sec. 16. 17. 20 & 21
 Land rather broken, middling good for farming
 Timber same as on the last milo.

- West On a true line between Sec. 17. & 20. T. N° 10 N.R. N° 2 Y.Y.
 40. 54 Set the temporary post at the average distance on the
 true line for the cor. to 1/4 sec from which a
 Beech 12 in. dia bears N83°W. 21 links dist; and a
 Do 12 " " S46°E. 25 " "
 81.09 To the post set for the cor. to Sec. 17. 18. 19 & 20.

- West Between Sec. 18. & 19. T. N° 10 N.R. N° 2 Y.Y.
 75.00 To a Brook 12 links wide, Comme N.
 22.00 " " " " " " N.E.
 40.00 Set a post for the cor. to 1/4 sec from which a
 Beech 13 in. dia bears N13°W. 12 links dist; and a
 Do 4 " " " " " " S30°E. 8 "
 72.90 Intersected the N.E.S Range line 85 links North of
 the first set for the cor. to Sec. 13. & 24. T. N° 10 N.R. N°
 3 Y.Y. and set a post for the cor. of Sec. 18 & 19 T. N° 10

T. N^o. 10 N.R. N^o 277^r 2nd Mer. (Ind^e)

N.R. N^o 277^r from which a
Sugar 13 in. dia. bears N43 E. 11 links dist; and a
Buck 6 " " S23 E. 5 " "
Sand rolling and good 2nd rate farming land
Timber same as on the last mile.

North	Between Sec. 17. & 18. T. N ^o . 10. N.R. N ^o 277 ^r .
19.00	To a Brook 12 links wide, Comer N.W. N. 6° 46'
30.00	" " " " N.E.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 7 in. dia. bears S10 E. 18 links dist; and an Ironwood 3 " " N70 E. 13 " "
80.00	Set a post for the cor. of Sec. 7. & 17. & 18. from which Sugar 10 in. dia. bears S28 W. 12 links dist; and a Buck 14 " " N30 E. 45 " " Sand broken and soil good; Timber same as on the last mile.
East	Between Sec. 8 & 17. T. N ^o . 10. N.R. N ^o 277 ^r .
26.00	To a Brook 8 links wide, Comer N.
34.00	" " " 6 " " " N. 45°
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 12 in. dia. bears S61 W. 15 links dist; and a Lp. 12 " " S38 E. 19 "
80.00	Set a post for the cor. of Sec. 8. & 9. 16. & 17. from which Buck 14 in. dia. bears South 21 links dist; and " 14 " " N19 E. 2 " " Sand broken with sink holes; Timber same.
East	On a Random line between Sec. 9. 146 T. N ^o . 10. N.R. N ^o 277 ^r
27.00	To a Creek 60 links wide, Comer N.W.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
53.50	To a Creek 100 links wide, Comer N.

P. N. 10 N. R. N. 2 W 2nd Mer. Ind.

- 70.00 To a Creek 100 links wide, Bureau S. P.
 81.86 Intersected the N. & S. line 121 links North of the cor.
 to Sec. 9. 10. 15. 146 Land hilly, some part Creek
 bottom.

West

- On a true line between Sec. 9. & 16. T. N. 10. R. 11. W.
 40.93 Set the temporary post at the average distance on the
 true line for the cor. to the $\frac{1}{4}$ sec. from which a
 Buck 14 in. dia. bears East 4 links distant
 $16^{\circ} 12''$ " " \$81^{\text{ft}}. 39" "
 81.86 To the post set for the cor. to Sec. 8. 9. 16. 17.

South

- On a Random line between Sec. 16 & 17. T. N. 11. R. 2 W.
 32.08 To a Creek 60 links wide, Bureau N.E.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 81.28 Intersected the E. & W. line 21 links West of sec. cor. for
 16. 9. 20. 21. Land broken and hilly

North

- On a true line between Sec. 16. & 17. T. N. 10. R. 11. 2 W
 40.64 Set the temporary post at the average distance
 on the true line for the cor. to the $\frac{1}{4}$ sec. from which a
 Hickory 8 in. dia. bears \$80 E. 4 links dist; and a
 $16^{\circ} 12''$ " " \$14 E. 7" "
 81.28 To the post set for the cor. of sec. 8. 9. 16 & 17.

North

- Between Sec. 8 & 9. T. N. 10. R. 11. N. 2 W.
 40.00 Set a half mile post for the cor. to $\frac{1}{4}$ sec from which a
 Buck 12 in. dia. bears \$24 W. 13 links dist; and a
 $16^{\circ} 18''$ " " \$25 W. 9" "
 65.00 To a Brook 150 links wide, Bureau S. P.
 80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. from which a
 W. Buck 7 in. dia. bears \$149 W. 16 links dist; to
 Buck 12, " " \$21 E. : 39" "

I. No 10 N.R. No 277 2nd Mer. Ind.

Lands part hilly and part bottom; madding good for farming

West 40.00	Between Sec. 5.08 I. No 10. N.R. No 277. Set a post for the cor. to the 1/4 sec. from which a Beech 7 in. dia. bears S 14° E. 8 links distant, and a Ash 12 " " N 35° E. 32, "
40.07	To a Brook 150 links wide, Comee N.W.
80.00	Set a post for the cor. of Sec. 5. 6. 7 & 8 from which a Beech 8 in. dia. bears N 44° W. 6 links distant to a Do. 14, " " S 72° E. 81, "
	Lands pt. part bottom; the rest hilly and madding good for farming
North 23.67	Between Sec. 5.16 I. No 10. N.R. No 277. To the left Bank of White River. set a post for the cor. of fractional Sec. 5.16 from which a Maple 7 in. dia. bears N 73° E. 20 links dist; and a Poplar 14, " " N 70° E. 12, " To a hole in the Bank 192 links
West 40.00	Between Sec. 6.17 I. No 10. N.R. No 10. 97. Set a post for the cor. of quarter sec. from which a Beech 9 in. dia. bears S 88° E. 17 links distant and a Do. 14, " " S 60° E. 21, "
75.63	Intersected the N & S Range line 60 links North of the post set for the cor. to Sec. 14.12 I. No 10. N.R. No 377 and set a post for the cor. of Sec. 6. 7 & 7 I. No 10. N.R. No 277 from which a Beech 4 in. dia. bears East 14 links distant; and a Beech 11 in. dia. bears N 78° W. 19 links dist. Lands rolling and madding good for farming Timber Beech, Sugar and Poplar.

I. N. 10. N. R. N. 2 M. 2nd Mer. Ind.

South On a random line between Sec. 7 & 8 T. N. 10. N. R. N. 2 M.
40.00 To a Brook 10 links wide. Come N. Set a temporary
post for the cor. to $\frac{1}{4}$ sec.

80.07 Intercepted the E & W. line 159 links East of the post
set for the cor. of sec. 7. 8. 17. & 18.
Gangs broken; timber same as on the last mile.

North On a true line between Sec. 7 & 8 T. N. 10. N. R. N. 2 M.
40.04 Set the temporary post at the average distance on the
true line for the cor. to the $\frac{1}{10}$ sec. from which a
Sycamore 30 in. dia bears N 60° W. 23 links dist. and an
Elm 6 " " N 35° E. 30 " "
80.07 To the post set for the cor. to sec. 5, 6, 7, & 8.

West Between Sec. 7 & 18 T. N. 10. N. R. N. 2 M.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beech 9 in. dia bears N 45° W. 10 links dist; & a
Hickory 10, " " N 80° E. 18 " "
73.58 Intercepted the N & S range 52 links North of the post
set for the cor. of sec. 12, & 13. T. N. 10. N. R. N. 3 M. and
set a post for the cor. of sec. 17 & 18 T. N. 10. N. R. 2 M. from
which a Beech 18 in. dia bears S 17° W. 34 links dist; & a
Poplar 30 in. dia bears N 64° E. 20 links distant.

East On a random line between Sec. 4 & 9 T. N. 10. N. R. N. 2 M.
20.00 To a Creek 100 links wide, comes S 45° E.
25.00 " " " " " N. W.
40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
45.00 To a Brook 8 links wide, comes South.
80.82 Intercepted the N & S line 215 links North of the post set for
the cor. of sec. 3, 4, 9 & 10.
Gangs West & good for farming; East & very hilly

T. N° 10. M.R. N° 2 4th 2nd Mer. Indiana

West 40.00	On a true line between Sec. 4 & 9. T. N° 10. M.R. N° 2 7 th . Set the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which a Beech 12 in. dia. bears N 86° W. 9 links distant, and a Ld. 10 " " N 80° E. 15 " "
80. 82	To the post set for the cor. to Sec. 4, 5, 8, & 9.
East 40.00	Between Sec. 3 & 10. T. N° 10. M.R. N° 2 7 th . Set a post for the cor. to 1/4 sec. from which a B. Gum 18 in. dia. bears S 29° W. 20 links distant, and a Beech 12 " " N 56° W. 20 " "
70. 31	Intersected the North Boundary line of Harrison's Branch, and set a post at the intersection for the cor. of fractional Sec. 3 & 10. from which a Beech 6 in. dia. bears N 61° E. 17 links distant; and a Ld. 15 " " S 88° W. 32 " " Land hilly and middling good for farming; timber Beech, Sugar, Poplar etc.
North 40.00	Between Sec. 4 & 5. T. N° 10. M.R. N° 2 7 th . Set a post for the cor. of 1/4 sec. from which a Sugar 10 in. dia. bears N 44° E. 25 links distant; and a P. Walnut 30 " " S 82° E. 6 " "
80. 30	Intersected the N Boundary 24 links West of the post set for the cor. of Sec. 3 & 3. T. N° 10. M.R. N° 2 7 th . and set a post for the cor. of Sec. 4 & 5. T. N° 10. M.R. N° 2 7 th . from which a Huckleberry 14 in. dia. bears S 34° E. 26 links distant, and a Beech 12 " " N 57° E. 24 " " Good farming land.
North 23.67	Between Sec. 5 & 6. T. N° 10. M.R. N° 2 7 th . Set a post on the Bank of White River from which a Maple 7 in. dia. bears N 73° W. 20 links distant and a

I. N° 10. N.R. N° 277 2nd Mer. Ind.^a

- Elm 14 in. dia. bears N70 E. 12 links distant.
 28.67 Set a post on the right Bank of White River for the
 cor. to fractional sections 5 & 6. From which a
 Wash 6 in. dia. bears S56 E. 13 links dist. and an
 Sycamore 12" " S55 E. 8 "
- 40.00 To an Elm 12 in. dia. stands for the cor. to 1/4 sec.
 80.91 Traversed the N Boundary of I N° 10. N.R. N° 277
 258 links West of the post set for the cor. of sec. 31 & 32
 I N° 11 N.R. 277 and set a post for the cor. of sec.
 5 & 6. I N° 10 N.R. N° 277. from which a Beech 12
 in. dia. bears S54 W. 41 links distant and a " 7
 " " " S49 E. 13 " " "
 Dry part bottom which overflows; upland good for
 farming

East Between Sec. 5 & 32 I. N° 10 & 11. N.R. N° 277. from the
 half mile post

- 9.54 To a Sycamore which stands on the left Bank of White
 River for a cor. to frac. Sections 5 & 32
 80.00 To the cor. of sec. 32 & 33. no post set
-

October 3rd 1825

- West Between Sec. 26 & 35 I. N° 10. N.R. N° 277.
 40.00 Set a post for the cor. to 1/4 sec. from which an
 Elm 9 in. dia. bears N30 E. 6 links dist. and a
 Sugar 14" " " S66 E. 23 " "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which
 a Beech 11 in. dia. bears S18 W. 33 links dist. and a
 11" 10" " " S44 E. 34 " "
 Sandy hill with rich soil; Timber. Oak, Ash,
 Hickory and Locust, Beech, Sugar
-

South On a Random line between Sec. 34 & 35 I. N° 10. N.R. N° 277

379

I. N. 10. N. R. N. 27. 2nd Mer. (Ind.)

40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
65.50	To a Brook 20 miles mid. Comse N.W.
80.10	Intersected the E. & W. Range line 10 miles West of the post set for the cor. of sec. 34. & 35 I. N. 10. N. R. N. 27. Sandy soil and timber same as on the last mile.
North	On the true line between Sec. 34. & 35. I. N. 10. N. R. N. 27.
40.05	Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. From which a Beech 8 in. dia. bears S 54° E. 7 miles distant, & a Sugar 8" " N 25° N. 23" "
80.10	To the first set for the cor. to Sec. 26, 27, 34, & 35
North	Between Sec. 26. & 27 I. N. 10. N. R. N. 27.
40.05	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Sugar 14 in. dia. bears S 7° W. 25 miles dist., and a Beech 17" " North 9" "
80.00	Set a post for the cor. of sec. 22, 23, 26 & 27 from which a Beech 20 in. dia. bears S 49° E. 20 miles distant to a Dogwood 4" " S 85° W. 12" "
	Sandy hills and madding good for farming; Timber Oak, Beech, Hickory; Maple undergrowth.
East	On a Random line between 23. & 26. I. N. 10. N. R. N. 27.
18.50	To a Brook 20 miles mid. Comse N.E.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
70.50	To a Brook 30 miles mid. Comse N.E.
75.00	To a large deer lick
80.45	Intersected the N & S line 56 miles North of the first set for the cor. of sec. 23, 24, 25, & 26.
	Sandy hills poor soil; Timber Oak, Hickory and Beech
North	Between Sec. 23. & 24. I. N. 10. N. R. N. 27.

I.N. 10. N.R. N. 2 W. 2nd Mer. Ind.

- 5.00 To a Brook 30 miles west, course E.
 23.51 To a Creek 150 miles west; course N.W.
 40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
 Maple 3 in. dia. bears \$35 77. 8 $\frac{1}{2}$ miles west; to
 Do 5 " " 985 E 4 " "
 80.00 Set a post for the cor. of Sec. 13, 14, 23, & 24 from which a
 Buck 5 in. dia. bears 42 E. 40 miles west; to
 Do 13 " " 121 77. 20 " "
 Lands low wet bottom; Timber Oak, Maple, Gum to

- East** On a random line between Sec. 13 & 24 I.N. 10. N.R. N. 2 W.
 40.00 Set a temporary post for the cor. to the $\frac{1}{4}$ sec.
 79.07 To a small creek 45 miles west; course S.W.
 79.80 Intersected the N.E.S line, or East Boundary of I.N. 10.
 N.R. N. 2 W. 2 miles North of the post set for the cor. of
 Sec. 13 & 24 Lands good soil, Timber Oak, and Buck

- West** On a true line between Sec. 13, 124 I.N. 10. N.R. N. 2 W.
 39.90 Set the temporary post at the average distance on the
 true line for the cor. to the $\frac{1}{4}$ sec. from which a
 B. Oak. 36 in. dia. bears \$65 77. 9 miles distant; to
 Buck 6 " " 162 E. 21 " "
 79.80 To the post set for the cor. of Sec. 13, 14, 23 & 24.

- West** On a true line between Sec. 23, 124, I.N. 10. N.R. N. 2 W.
 40.22 $\frac{1}{2}$ Set the temporary post at the average distance on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 7 in. dia bears North of banks west and a
 Do 7 " " 81 E. 12 " "
 80.40 To the post set for the cor. of Sec. 22, 23, 26 & 27

October 4. 1885

North Between Sec. 22, 123 I.N. 10. N.R. N. 2 W.

394

S. N^o 10 A.R. N^o 377. 2nd Mer. Ind.

33.00	To a Brook 25 links wide; Course E.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Sug. 12 in. dia. bears N 79 E. 10 links distant; and a Buck 18" " " S 35 1/2 W. 37" "
80.00	Set a post for the cor. of Sec. 14. 15, 22, & 23 from which a W. Oak. 15 in. dia. bears S 73 E. 21 links distant; and an Elm 9" " " N 62 W. 21" " Ground hilly and poor soil; Timber Oak & Buck. 10
East	On a Random line between Sec. 14 & 23. S. N ^o 10. A.R. 277.
25.00	To a Brook 150 links wide; Course N
40.00	Set the temporary post for the cor. to $\frac{1}{4}$ sec.
79.86	Intersected the N & S line 36 links North of the post Set for the cor. to Sec. 13. 14. 23. & 24; Ground low on bottom; Timber Buck, 12. Ash, S. Oak. 10
West	On the true line between Sec. 14 & 23. S. N ^o 10. A.R. 277
39.93	Set the temporary post at the average dist. of the cor. to the $\frac{1}{4}$ sec. on the true line from which an Elm 3 in. dia. bears - 51 W. 8 links distant; & a Buck 6" " " N 79 E. 9" "
79.86	To the post set for the cor. to Sec. 14. 15, 22, & 23.

October 5th 1815.

North	Between Sec. 21 & 22. S. N ^o 10. A.R. 277.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Dogwood 4 in. dia. bears S 61 1/2 W. 18 links dist; to a Buck 24" " " N 56 E. 35" "
80.00	Set a post for the cor. of Sec. 15, 16, 21 & 22 from which a Buck 3 in. dia. bears N 61 1/2 W. 18 links dist; and an Ash 20" " " S 57 E. 16 1/2" " Ground rolling and soil rich; Timber Oak, Ash, Locust, Buck and Poplar.

S. No. 10. N.H. No. 277. 2nd. Mar. Ind^a

ch ^o ch.	
East	On a Random line, between Sec. 15, 16, T. 17 ^o R. 10. N.R. 2 ^W
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
60.00	To a small spring branch 6 links aside; same E.
70.50	" " " " " " " " " " E.
80.00	Intersected the St. 18 line 18 links South of the post set for the cor. to Sec. 14, 15, 22, 23.
	Sands soil and timber same as on the last mile.

West 40.00	On the true line between Sec. 15 & 22, T. 11 M. R. D. W. Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ Rec. from which a Buck 8 in. dia. bears N 62 E. 19 links dist. & a No. 6 " " S 54 W. 24 " "
80.00	To the post set for the cor. to Sec. 15. 16. 21 & 22.

North	Betovan Fev. 15 & 16 T. N° 10. N.R. N° 277.
38.00	To a Brook 13 miles n.w. Coopers E.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beech 9 in. dia. bears \$22 N. of hicks dash and a
	Do 13 " " \$70 E. 23 "
80.00	Set a post for the cor. of sec. 9. 10. 15 & 16 from which a Beech 17 in. dia. bears \$81 E. 27 hicks dash and a
	Do 18 " " \$72 N. 28 " "
	Smash willow and madding for farming; Timew Ash, Oak, Beech, Poplar and Sugar.

W.L.S.T	Between Sec. 16 & 21. T.R. 10. M.R. N° 277.
40.00	Set a post on the cor. of 1/4 sec. from which a Dogwood 2 1/2 in. diam. bears N 48° E 9 links dist; and a Plum tree 3 " " " S 82° W. 8 " "
80.00	Set a post on the cor. of Sec. 16 17, 20 & 21 from which a Hickory 8 in. diam. bears - 55 E. 26 links dist; & a Tulip tree 3 " " " S 59° W. 23 " "

P. N^o 10. N.R. N^o 2 W. 2nd Mer. (Ind.^a)

Sands rolling & soil rich; Timber Walnut, Ash, Locust
Buck, Poplar, and Sugar.

South	On a Random line, between Sec. 20. 21. T. N ^o 10. N.R. N ^o 2 W.
13.50	To a Brook 100 links wide; Course N.W.
40.00	Set a temporary post for the cor. to 1/4 sec.
70.00	To a Brook 30 links wide; Course N.E.
79.64	Intersected the E. & W. Line 47 links East of the post Set for the cor. of Sec. 20. 21. 28. 129. Sands rolling and soil rich; Timber Oak, Ash, Walnut, Hickory 10. Sandstone in abundance.

October 6th 1815

East	Between Sec. 10 & 15 T. N ^o 10. N.R. N ^o 2 W.
15.13	To a Brook 150 links wide; Course N.W.
40.00	Set a post for the cor. to the 1/4 sec. from which a W. Oak 30 in. dia. bears G. 19 W. 15 links dist; and a Ash 4 " " N 7 E. 16 " "
71.00	To a Brook 15 links wide; Course S.W.
80.00	Set a post for the cor. of sec. 10. 11. 14. 15 from which a Buck 5 in. dia. bears G. 35 W. 16 links dist; and a Loc 11 " " N 36 E. 10 " " Sands rich bottom; Timber Oak, ash, Bucks Walnut.

South	On a Random line between Sec. 14. & 15 T. N ^o 10. N. R. N ^o 2 W. 2 nd Mer Indiana
25.00	To a Creek 150 links wide; Course W.
40.00	Set a temporary post for the cor. to 1/4 sec.
79.84	Intersected the E. & W. Line 12 links West of the post Set for the cor. Sec. 14. 15. 22. & 23. Sands soil and timber same as on the last mile.

S. N. 10. N.R. N. 277^r and Mar. (Ind^a)

- North On a true line between Sec. 14 & 15 S. N. 10. N.R. N. 277^r
 39.92 Set the temporary post at the ave. dist on the true line
 for the cor. to Sec. 15 from which a
 Buck 7 in. dia. bears N 41 E. 4 links distant; and a
 Do. 12 " " S 60 N. 33 " "
 79.84 To the post at for the cor. to Sec. 10. 11. 14. 15

- North Between Sec. 9 & 10. S. N. 10. N.R. N. 277^r
 2.08 To a Creek - links mid; course West.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 11 in. dia. bears S 17 W. 18 links dist; and a
 Do. 2 $\frac{1}{2}$ " " N 5 $\frac{1}{2}$ E. 19 " "
 60.00 Set a post for the cor. of Sec. 3. 4. 9 & 10. from which a
 Buck 5 in. dia. bears N 84 W. 3 links dist; and a
 W. Oak 16 " " S 40 E. 13 " "
 Sandy soil and soil gards; Timber Oak, Beech, Pop-
 lar, Ash, Hickory and Walnut.

- North Between Sec. 3 & 4. S. N. 10. N.R. N. 277^r
 40.00 Set a post for the cor. of quarter sec. post from which a
 W. Oak 7 $\frac{1}{2}$ in. dia. bears N 65 W. 24 links dist; and a
 Buck 16 " " N 31 E. 13 " "
 51.44 Intersected the N. Boundary of Cranison's Purchase
 and set a post for the cor. of fractional sec. 3 & 4. from
 which a Sugar 18 in. dia. bears N 65 W. 13 links distant to a
 Buck 19 in. dia. bears S 39 E. 25 links distant.
 Sandy soil and timber same as on the last mile.

October 7. 1875.

- North Between Sec. 10. & 11. S. N. 10. N.R. N. 277^r
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Buck 12 in. dia. bears S 16 E. 15 links dist and to a
 Do. 15 " " N 60 W. 33 " "

385

T. N° 10. N. R. N° 2 W. 2nd Mer. (Sect. e)

73.16

Intersected the N. Boundary of Harrison's Purchase and set a post for the cor. of tract. Sect. 10 & 11 from which an Ash 23 in. dia. bears S31°W. 14 links dist; to Beech 12 in. dia. bears N18°E. 22 links distant Lands rolling and soil rich; Timber. Birch, Walnut, Poplar and Sugar.

East

Between Sect. 11 & 14 T. N° 10. N. R. N° 2 W.
11.00 To a Brook 5 links wide; Course S.
23.00 To a small Creek. 50 links wide; Course S.
40.00 Set a post for the cor. to 1/4 sec. from which a
Hickory. 16 in. diam. bears N61°W. 33. links dist; and a
Do 17 " " " S71°E. 28 "
80.00 Set a post for the cor. of sect. 11. 12. 13 & 14 from which a
Beech 16 in. dia. bears N81°W. 17 links distant to a
Do 18 " " " S81°E. 17 "
Lands soil and timber same as on the last mile.

East

Between Sect. 12 & 13. T. N° 10. N. R. N° 2 W.
20.59 Intercepted the N. Boundary of Harrison's Purchase and set a post for the cor. of tract. Sect. 12 & 13 from which a
Beech 16 in. dia. bears NWest 34 links dist; and a
Do 15 " " " S80°E. 10. "
Lands hilly and middling good for farming; Tim-
ber Ash, Birch, Poplar & Walnut.

North

Between Sect. 11. 12 & 13. T. N° 10. N. R. N° 2 W.
14.70 Intercepted the N. Boundary of Harrison's Purchase and set a post for the cor. of tract. Sect. 11 & 12. from which a
Beech 30 in. dia. bears N55°W. 37. links dist; to a
Do 16 " " " S71°E. 32 " "
Lands soil and timber same as on the last mile.

T. No 10. R. No 277. 2nd Mer. (Ind.)

South On a Random line between Sec. 13 & 14 T. N° 10. R. N° 277.
 8.00 To a Brook 20 links wide; course W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.35 Intersected the E. & W. Line 61 links East of the post
 set for the cor. of Sec. 13. 14. 23. & 24. Sandy hills of a
 middling quality for farming; last $\frac{1}{2}$ mile bottom
 of a rich soil.

North On a true line between Sec. 13 & 14 T. N° 10. R. N° 277.
 40.17 $\frac{1}{4}$ Set the temp. post at the average distance on the
 true line from the cor. to $\frac{1}{4}$ sec. From which a
 W. Oak 36 in. dia. bears North 14 links dist; and a
 Beech 16 " " - 47 8 14 " "
 * 80.35 To the post set for the cor. of Sec. 11. 12. 13. & 14

Surveyed by
 William Harris. C. S.

North Between Sec. 3 & 4. T. N° 10. R. N° 277.
 57.54 On the original Survey. To the North Boundary of
 Harrison's Purchase. Extended the line North
 22. 46 To a W. Oak 30 in. dia. stands in the line
 35. 00 Intercepted the N. Boundary of T. N° 10. R. N° 277
 148 links East of the post set for the cor. to Sec.
 33. & 34. T. N° 11. R. N° 277 and set a post for
 the cor. to frac. Sec. 3 & 4 from which a
 Hickory 10 in. dia. bears S. 66 E. 9 links dist; and a
 Ropelau 14 " " S. 75 W. 12 " "
 Sandy broken and dry soil; timber W. Oak,
 Beech, Sugar c. and g. H. log wood, Hickory & Sassafras

North Between Sec. 10. & 11. T. N° 10. R. N° 277.
 73.16 On the original Survey to the N. Boundary of
 Harrison's Purchase. Continued the line

I. N. 10. N.R. N. 2 W. 2nd Mer. Ind.

80.00	Set a post for the cor. of sec. 2, 3, 10 & 11 from which a Buck 10 in. diam. bears N64W. 10 links dist; to No 33, " " \$23 E. 12 " " Lands level and 2 nd rate; Timber ash & sugar; Madding north Spic.
West 10.27	On a Random line between Sec. 3 & 10. I. N. R. N. 2 W. To a point 20 links South of the post set on the Boundary of H. S. Purchase. Land level and 2 nd rate. Timber of Beech, Ash, and Sugar.
East 10.27	Continued the line between Sec. 3 & 10. I. N. R. N. 2 W. To the cor. of Sec. 2, 3, 10 & 11.
North 23.58	Between Sec. 2 & 3. I. N. 10. N.R. N. 2 W. To a sugar 17 in. diam. stands in the line.
40.00	Set a post for the cor. of the 1/4 sec. from which a Buck 20 in. diam. bears N34W. 35 links dist; to No 28 " " \$84 E. 13 " " To a Beech 19 in. diam. stands in the line.
66.27	Intersected the N. Boundary 168 links E of the post set for the cor. of Sec. 3 & 35 I. N. 11 N.W. N. 2 W. and set of post for the cor. of Sec. 3 & 3. From which a sugar 17 in. dia. bears S46W. 7 links dist; and a Beech 18 " " N68E. 95 " " Lands broken and 2 nd rate; Timber sugar, ash, Beech, &c. Madding Spic, Ash, &c.
East 20.59	Between Sec. 12 & 13. I. N. 10. N.R. N. 2 W. On the Original Survey to the N Boundary of Harrison's Purchase. Continued the line East
23.58	To a sugar 17 in. diam. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. from which a

P. A. 10. N. R. N. 2 77² 2nd Mer. Ind.

- Logwood 3 in. diam. bears N 46 E. 19 links dist. to
Beech 15 " " S 4 E. 13 " "
62.57 To a W. Oak 30 in. diam. stands in the line.
79.86 Intersected the East Boundary 94 links N of the post
set for the cor. to Sec. 12 & 13, and set a post for the
corner of sec 12 & 13 from which a
Hornbeam 14 in. diam. bears N 36 E. 10 links dist. to
Sycamore 18 " " S 17 W. 9 " "
Sand broken & 3rd rate; Timber T. B. Oak, Beech,
Hickory, Ash, &c. Undergrowth Spic, Sassafras, & Brn.

- North Between Sec. 11 & 12 I. N. 10. N. R. N. 2 77.
- 11.70 On the Original Survey to N. Boundary of Harrison
Purchase; Continued the line;
40.00 Set a post for the cor. of sec. from which a
Poplar 32 link diam. bears N 57 W. 9 links dist. to
Beech 19 " " S 75 E. 29 " "
60.88 To a Beech 22 in. diam. stands in the line.
80.00 Set a post for the cor. of sec. 1. 2. 11 & 12 from which a
Beech 14 in. diam. bears N 26 W. 26 links dist; to
No 18 " " S 79 E. 18 " "
Sand broken and 3rd rate. Timber T. B. & W. Oak
Beech, Hickory, Ash, &c. Undergrowth Spic ash,
Sassafras &c.

- West On a Random line between Sec. 2 & 11. I. N. 10. N. R. N. 2 77.
- 17.64 To a Brook 6 links wide, course N. S. M.
- 30.01 " " 8 " " South.
- 40.00 Set a temporary post for the cor. of 4 sec.
- 79.92 Intercepted the N & S line 24 links south of the post
set for the cor. of sec. 2. 3. 10 & 11 Sand broken &
3rd rate; Timber T. B. Oak, Hickory &c. Undergrowth
Spic, ash Sassafras, Brn &c

389

I.W. 10 N.R. N. 277. 2nd Mer. Ind.

East		On a tree line between Sec. 2511 I.W. 10. N.R. 277 Is a Poplar 26 in. dia. Stands in the line. Set the temporary post at the ave. dist. on the tree line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 15 in. dia. bears N29°41'10" mks dist; & a No. 16 " " S29°E. 8" "
25.05		
39.96		
54.22		To a Beech 22 in. dia. bears in the line.
79.92		To the post set for the cor. of Sec. 1, 2, 11. 12
East		Between Sec. 1, 12 I.W. 10. N.R. N. 277. Is a Hickory 18 in. dia. Stands in the line. Set a post for the cor. of $\frac{1}{4}$ sec. from which a Dogwood 8 in dia. bears S40°E. 21 links dist; & a Beech 5" " N21°W. 18" "
22.80		
40.00		
60.38		To a Beech 16 in. dia. Stands in the line.
78.60		Intersects the East Boundary 132 links East of the post set for the cor. of Sec. 1, 12; and set a post for the cor. of Sec. 1, 12; from which a Beech 18 in. dia. bears S.55°E. 11 mks dist; & a No. 32 " " N47°W. 27" "
		Some Broken and 2nd rate; Limb. ash, Poplar, Sugar, Beech, W. Oak, &c. Undergrowth Spur ash,
North		Between Sec. 1, 12 I.W. 10. N.R. N. 277. To a Beech 18 in. dia. Stands in the line. Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears N35°E. 5 links dist; & a No. 12 " " W83°W. 28" "
25.72		
40.00		
61.74		To a W. Oak 32 in. dia. Stands in the line.
85.06		Intersects the N. Boundary 154 links East of the post set for the cor. of Sec. 3, 5, 8, 10. I.W. 11. N.R. N. 277. and set a post for the cor. of Sec. 1, 12 from which an Ash 33 in. dia. Stands S66°W. 7 mks dist;

S. N. 10. N.R. N. 27. M. 2nd Mer. Ind.

and am abt 32 in. dia bars A49 E. 27 links dist.
Tinels broken and 2nd rate. Timber Ash, Poplar,
Beech, sugar, white Oak, &c. underg. Pine Ash, to
Nov. 28th 1819.

Surveyed by
Thomas Brown D.S.

Manders of White River.

Commenced at the Township line Between Towns 10. & 11
N.R. N. 213 ft. thence up stream on the Left Bank

N 84 E.	15.26
S 65 E.	6.76
S 52 E.	11.53
S 57 E.	7.90
In Sec. 6.	
S 63 E.	8.20
S 68 E.	10.94
S 73 E.	20.59
N 89 E.	2.61. To first cr. of R. 556.

Commenced on the N Boundary between Towns 10. & 11
N.R. N. 217. thence down stream on the left Bank

S 57 N.	4.55
S 31 N.	8.37
S 59 N.	5.55
S 71 N.	13.20
In Sec. 5.	
S 19 N.	7.81
S 2 N.	4.77
S 16 N.	7.47. To a cr. about 100 yards wide.
S 30 N.	2.00
S 47 N.	6.93
S 71 N.	4.96
S 75 N.	15.38
S 43 N.	3.68

391

I. No. 10 N.R. N. 2711 2nd Nov. Ind.

S16 W.	3.46
S47 W.	5.00
S82 W.	1.02 To post cor. of sec. 586

Commenced on the N Boundary of I. No. 10 N.R. 2711 on the Right Bank of the river. three down stream	
S18 E.	5.98
S34 W.	4.61
S63 W.	2.19
S49 W.	6.43 in Sec. 5
S74 W.	6.34
S49 W.	7.83
S34 W.	6.30
S16 W.	12.00
S69 W.	11.23
N87 W.	3.55
S67 W.	3.47
S53 W.	11.57
South	6.76 To the post set for the cor. of sec. 586.

S72 W.	7.31
N60 W.	3.47
N49 W.	3.77
N71 W.	4.96
N76 W.	13.45
N56 W.	18.85
N46 W.	8.75
N73 W.	9.54
N87 W.	4.45 Var of the Compass. 6° 10' West.
S82 W.	10.00 To the West Boundary of I. 10 N.R. 2711.

Surveyed by
William Morris L.S.

392

T. N^o 10. T.R. N^o 2 Wth 2nd Mer. Ind.

I certify that the foregoing transcript of the
field notes of Township N^o 10. North of Range
N^o 2 West of the 2nd Mer. Indiana, is a true
copy of the original field notes on file in this
Office.

Surveyor General's Office,
Cincinnati, Nov. 26. 1840. C. S. Fair, S. Gen.